

DETOX WEIGHT MANAGER™ DUAL-FUNCTION DRINK MIX

Evidence is emerging that shows environmental chemicals can influence endocrine function and metabolic pathways involved in body weight regulation. The ubiquitous presence of these xenobiotics can make healthy weight management a challenge.


Convenient Dual-Function Drink Mix

Detox Weight Manager is a great-tasting drink mix that enhances detoxification, while also supporting healthy weight management.** The hypoallergenic formula includes soluble fiber and chromium to enhance satiety and reduce caloric intake, combined with several ingredients shown to support healthy liver function and detoxification pathways: N-Acetylcysteine (NAC), Calcium D-Glucarate, and Selenium.* When taken as directed, this unique combination not only promotes healthy detoxification, but can also help reduce caloric intake for safe, effective weight control.**

A Satisfying Choice for Weight Control

By addressing two fundamental factors involved in healthy weight management, Detox Weight Manager can play a supportive role in any weight control program.

- Great-tasting, berry flavored drink mix
- Convenient single serving packets
- Satisfies cravings and helps curb hunger**
- Strengthens liver function and promotes healthy, comfortable elimination*



wheat free



gluten free



soy free



dairy free



*When used in conjunction with a diet and exercise program.

*THIS STATEMENT HAS NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

Background

Life in modern, industrialized society involves routine exposure to environmental pollutants and other chemicals. These chemicals are ubiquitous.

In recent years, evidence has emerged indicating that many of the pathways involved in normal detoxification may also be influential over parts of the body's metabolism responsible for thyroid function and metabolic rate, mitochondrial function, thermogenesis, lipolysis, healthy hormonal balance, governance of glucose metabolism, hormonal influences on satiety and appetite, and other processes that affect body weight.

Several nutrients and botanical extracts are known to not only directly support the activity of the liver and other structures responsible for processing xenobiotics and hormones, but also to beneficially interact with mechanisms that influence human body composition and body weight. By supporting healthy xenobiotic elimination from the body, as well as by exerting supportive effects on target bio-molecules, cells, and tissues, Detox Weight Manager supports healthy weight management,[†] while also enhancing detoxification.*

Detox Weight Manager™

Detox Weight Manager is a convenient great-tasting drink mix provided in single serving packets. It includes soluble fibers, prebiotics, and chromium to enhance satiety and reduce caloric intake, combined with several ingredients shown to support healthy liver function and detoxification pathways.* When taken as directed, this unique combination not only promotes healthy detoxification, but can also help reduce caloric intake at subsequent meals for safe, effective weight control.*

Beneficial Ingredients

The following ingredients have been carefully selected for Detox Weight Manager based on the historical evidence of their benefits.

Glucomannan

Glucomannan supports satiety and healthy bowel elimination and increases feces volume.* It also supports healthy lipid and glucose metabolism.* Research shows glucomannan supports healthy weight management more than diet alone.*^{1-4 †}

Inulin

Inulin is fermented by gut bacteria to yield short-chain fatty acids, including butyrate, which are a nutritive to cells lining the intestinal tract, and induce glutathione S-transferases that support healthy detoxification.*^{4,5,21}

Oligofructose

The Inulin in this formula provides Oligofructose, a prebiotic. Supplementation has been shown to increase satiety following meals.* Oligofructose also supports healthy colon and host defense against environmental chemicals, in part by supporting lactic acid bacteria density and metabolic activity, as well as supporting intestinal beta-glucuronidase via influence on intestinal microflora.*⁶⁻¹⁵

Taurine and Glycine

Taurine and glycine are amino acids that support healthy metabolism and elimination of xenobiotics.* They also support the metabolic integrity of mitochondria.*¹⁶⁻¹⁹

NAC

NAC is a precursor to glutathione and is an antioxidant and free radical scavenger. It promotes healthy detoxification and elimination of xenobiotics and intestinal endotoxins, donates sulfhydryl groups, enhances glutathione-S-transferase activity, promotes liver detoxification, and inhibits xenobiotic biotransformation.*²⁰⁻²²

Calcium D-Glucarate

Calcium D-glucarate supports healthy net elimination via glucuronidation by inhibiting beta glucuronidase.*
Supplementation supports healthy estrogen and xenobiotic metabolism and excretion.*²³⁻²⁸

Chromium Picolinate

Chromium picolinate reduces food intake, hunger levels, and fat intake.* It supports healthy body composition.*

Research shows supplementation with chromium picolinate also supports healthy glucose tolerance and metabolism.*²⁹⁻³⁵

L-Selenomethionine

L-Selenomethionine is an antioxidant needed for Phase I detoxification; it supports elimination of heavy metals, such as mercury and arsenic.* L-Selenomethionine also supports glutathione production and healthy cell cycling activity.*³⁶⁻⁴¹


Vitamin C

Vitamin C is a quintessential antioxidant. Vitamin C plays a role in hydroxylation reactions that catalyze the detoxification of xenobiotics.*⁴²⁻⁴⁴

[†]When used in conjunction with a sensible diet and exercise program.

References

- González Canga A, Fernández Martínez N, Sahagún AM, et al. *Nutr Hosp*. 2004 Jan-Feb;19(1):45-50. [Article in Spanish]
- Cairella M, Marchini G. *Clin Ter*. 1995 Apr;146(4):269-74. [Article in Italian]
- Vita PM, Restelli A, Caspani P, Klinger R. *Minerva Med*. 1992 Mar;83(3):135-9. [Article in Italian]
- Walsh DE, Yaghoobian V, Behforooz A. *Int J Obes*. 1984;8(4):289-93.
- Chen HL, Lin YM, Wang YC. *J Agric Food Chem*. 2010 Sep 22;58(18):10277-81.
- Cani PD, Joly E, Horsmans Y, Delzenne NM. *Eur J Clin Nutr*. 2006 May;60(5):567-72
- Antal M, Regöly-Mérei A, Biró L, et al. *Orv Hetil*. 2008 Oct 19;149(42):1989-95. [Article in Hungarian].
- Buddington RK, Kelly-Quagliana K, Buddington KK, Kimura Y. *Br J Nutr*. 2002 May; 87 Suppl 2:S231-9.
- Wang X, Gibson GR. *J Appl Bacteriol*. 1993 Oct;75(4):373-80.
- Gibson GR, Beatty ER, Wang X, Cummings JH. *Gastroenterology*. 1995 Apr;108(4):975-82.
- Gibson GR, Roberfroid MB. *J Nutr*. 1995 Jun;125(6):1401-12.
- Kulkarni N, Reddy BS. *Proc Soc Exp Biol Med*. 1994 Dec;207(3):278-83.
- Rowland IR, Rumney CJ, Coutts JT, Lievens LC. *Carcinogenesis*. 1998 Feb;19(2):281-5.
- Kaur N, Gupta AK. *J Biosci*. 2002 Dec;27(7):703-14.
- Sauer J, Richter KK, Pool-Zobel BL. *Br J Nutr*. 2007 May;97(5):928-37.
- Knights KM, Sykes MJ, Miners JO. *Expert Opin Drug Metab Toxicol*. 2007 Apr;3(2):159-68.
- Sipes IG, Gandolfi AJ. *Casarett and Doull's Toxicology: The Basic Science of Poisons*, 4th Edition. Amdur MO, Doull J, Classen CD, eds. New York, NY: McGraw-Hill, 1991:103-9.
- Obinata K, Maruyama T, Hayashi M, Watanabe T, Nittono H. *Adv Exp Med Biol*. 1996;403:607-13
- Reilly SJ, O'Shea EM, Andersson U, et al. *FASEB J*. 2007 Jan;21(1):99-107. Epub 2006 Nov 20.
- De Rosa SC, Zaretsky MD, Dubs JG, et al. *Eur J Clin Invest*. 2000 Oct;30(10):915-29.
- De Vries N, De Flora S. *J Cell Biochem*. 1993;17F:S270-77.
- De Flora S, Bennicelli C, Camoirano A, et al. *Carcinogenesis*. 1985;6:1735-45.
- Dwivedi C, et al. *Biochem Med Metabol Biol*. 1990;21(2):83-92.
- Walaszek Z. *Cancer Lett*. 1990 Oct 8;54(1-2):1-8.
- Walaszek Z, et al. *Cancer Detect Prev*. 1997; 21(2):178-90.
- Walaszek Z, et al. *Cancer Lett*. 1990 Jan; 49(1):51-7.
- Walaszek Z, Hanousek-Walaszek M, Minton JP, Webb TE. *Carcinogenesis*. 1986 Sep;7(9):1463-6.
- Walaszek Z, Hanousek M, Narog M, Raich PC, Slaga TJ. *Chest*. 2004 May;125(5 Suppl):149S-50S
- Anton SD, Morrison CD, Cefalu WT, et al. *Diabetes Technol Ther*. 2008 Oct;10(5):405-12.
- Martin J, Wang ZQ, Zhang XH, et al. *Diabetes Care*. 2006;29:1826-32.
- Riales R, Albrink MJ. *Am J Clin Nutr*. 1981;34:2670-8.
- Anderson RA, Polansky MM, Bryden NA, et al. *Metabolism*. 1983;32:894-9.
- Anderson RA, Polansky MM, Bryden NA, Canary JJ. *Am J Clin Nutr*. 1991;54:909-16.
- Evans GW. *Int J Biosocial Med Res*. 1989;11:163-80.
- Martin J, Wang ZQ, Zhang XH, et al. *Diabetes Care*. 2006;29:1826-32.
- Markopoulos V, Bruning T, Schutze-Osthoff K. *Arch Toxicol*. 1996;70:277-83.
- Rotruck JT, Pope AL, Ganther HE, et al. *Science*. 1973;179:588-90.
- Kaeck M, Lu J, Strange R, et al. *Biochem Pharmacol*. 1997;53:921-6.
- Diplock AT, Watkins WJ, Hewison M. Selenium and heavy metals. *Ann Clin Res*. 1986;18:55-60
- Watanabe C. *Nippon Eiseigaku Zasshi*. 2001;55:581-9. [Article in Japanese]
- Jamba L, Nehru B, Bansal MP. *J Trace Elem Exp Med*. 1997;10:233-42.
- Iyaniwura TT. *Vet Hum Toxicol*. 1990 Apr;32(2):106-10.
- Ginter E. *Nutr Health*. 1982;1:66-77.
- Gaby AR. *Nutritional Medicine*. Concord, Fritz Perlberg Publishing, 2011:99-108.



Supplement Facts

Serving Size 1 packet (5.8 g)	Servings per container 42	
Amount per packet	%DV***	
Calories	10	
Total Carbohydrate	4 g	1% **
Dietary Fiber	4 g	16% **
Vitamin C	120 mg	200%
Selenium (as L-selenomethionine)	200 mcg	286%
Chromium (as chromium picolinate)	500 mcg	417%
Sodium	20 mg	<1% **
Proprietary Fiber Blend: inulin (from chicory root), glucomannan	4.2 g	***
N-Acetylcysteine (NAC)	334 mg	***
Taurine	250 mg	***
Glycine	200 mg	***
Calcium D-Glucarate	100 mg	***

**Percent Daily Values (DV) are based on a 2,000 calorie diet.

***Daily Value not established.

Recommendations: Mix 1 packet with at least 5-6 ounces of water or juice 2 times daily; prior to meals and/or snacks. Drink within 10 minutes or gelling may occur. When used as directed, this product may help decrease total caloric intake.

Other ingredients: natural flavors, malic acid, sodium ascorbate (flavor), Luo Han Guo extract, vegetable color, and silicon dioxide.

Contains No: Sugar, yeast, wheat, gluten, soy, dairy products, artificial flavoring, or preservatives. All colors used are from natural sources.

Caution: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention. If pregnant, nursing, or taking prescription drugs, consult your healthcare professional prior to use.

Integrative Therapeutics	Natural Partners	Emerson Ecologics
10030	IT0093	IT10030

Whole Body Integrative Cleansing System™

The Whole Body Integrative Cleansing System is a complete three product kit designed to provide a safe, gentle two-week cleanse.* The Super MilkThistle® X supplement stimulates bile flow, while the Fiber Formula binds toxins to prevent reabsorption into the bloodstream.* Lastly the Laxative Formula gently purges the intestines of any built up toxins.* Used together, this innovative cleansing kit effectively and comfortably detoxifies the body.*

- Convenient and easy to use three product kit
- Safe, gentle two-week cleanse
- Includes patient guide

#78450, 35 Tablets (Laxative Formula), 112 Veg Capsules (Fiber Formula), 28 Veg Capsules (Super MilkThistle X).



Theracurmin®

Theracurmin is a unique preparation of turmeric (*Curcuma longa*) that utilizes patented, natural colloidal dispersion technology to enhance bioavailability and dramatically increase curcumin levels in the blood.* Its high absorbability suggests that Theracurmin supplementation can maximize curcumin's biological effects, including relief of occasional pain due to overuse and support of the body's natural detoxification pathways and cytokine response.*

- Over 27 times more bioavailable than standard curcumin
- Water-dispersible curcumin complex that dissolves quickly and maintains solubility over time
- Maximizes the biological effects of curcumin

#70673, 45 Veg Capsules



Indoplex®

Indoplex is a nutritional supplement containing a patented, bioavailable form of diindolylmethane (DIM®), a dietary indole naturally present in cruciferous vegetables. Research shows DIM promotes healthy estrogen metabolism by increasing the production of 2-hydroxyestrone estrogen metabolites over the undesirable 16-hydroxyestrone estrogen metabolites.* These critical metabolites have been shown to promote healthy cell development.*

- Features a patented form of DIM that is 10 times more potent than its precursor, indol-3 carbinol (I3C)
- Enhanced absorption and bioavailability

#286006, 30 Veg Capsules; #286002, 60 Veg Capsules; #75336, 60 Tablets



Theracurmin is a registered trademark of Theravalues. Indoplex® and DIM® are trademarks of and are licensed from BioResponse, L.L.C; U.S. Patent 6,086,915.

*THIS STATEMENT HAS NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.